

---

# Teenagers and sleep

---

## Summary

- Sleep research suggests that a teenager needs between eight and 10 hours of sleep every night.
  - Most teenagers only get about 6.5-7.5 hours sleep per night.
  - Teen's body clocks naturally shift to make them feel tired later in the evening, but early school starts do not enable them to sleep in the mornings.
  - Chronic sleep deprivation can have dramatic effects on a teenager's life, including affecting their mental wellbeing and reducing their academic performance at school.
  - Smart phones and other devices used around bed time reduce sleep time.
  - Avoiding stimulants such as coffee, tea, soft drinks and energy drinks in the evening can help to promote better sleep.
- 

Sleep research suggests that a teenager needs between eight and 10 hours of sleep every night. This is more than the amount a child or an adult needs. Yet most adolescents only get about 6.5 – 7.5 hours sleep per night, and some get less.

Regularly not getting enough sleep leads to chronic sleep deprivation. This can have dramatic effects on a teenager's life, impacting their mental wellbeing, increasing their risk of depression, anxiety and low self-esteem. It can also affect academic performance at school.

## Causes of teenage sleep deprivation

Some of the reasons why many teenagers regularly do not get enough sleep include:

- **hormonal time shift** – puberty hormones shift the teenager's body clock forward by about one or two hours, making them sleepier one to two hours later. Yet, while the teenager falls asleep later, early school starts don't allow them to sleep in. This nightly 'sleep debt' leads to chronic sleep deprivation

- **using screen based devices** – smart phones and other devices used around bed time reduce sleep time. **Teens who put down their smart-phones an hour before bed gain an extra 21 minutes sleep a night** (<https://www.vichealth.vic.gov.au/media-and-resources/media-releases/aussie-teens-forgo-sleep-for-screens>), (that's one hour and 45 minutes over the school week) according to a study by Vic Health and the Sleep Health Foundation
- **hectic after-school schedule** – homework, sport, part-time work and social commitments can cut into a teenager's sleeping time
- **leisure activities** – the lure of stimulating entertainment such as television, the internet and computer gaming can keep a teenager out of bed.
- **light exposure** – light cues the brain to stay awake. In the evening, lights from televisions, mobile phones and computers can prevent adequate production of melatonin, the brain chemical (neurotransmitter) responsible for sleep
- **vicious circle** – insufficient sleep causes a teenager's brain to become more active. An over-aroused brain is less able to fall asleep.
- **social attitudes** – in Western culture, keeping active is valued more than sleep
- **sleep disorder** – sleep disorders, such as restless legs syndrome or sleep apnoea, can affect how much sleep a teenager gets.

## Effects of teenage sleep deprivation

The developing brain of a teenager needs between eight and 10 hours of sleep every night. The effects of chronic (ongoing) sleep deprivation may include:

- concentration difficulties
- mentally 'drifting off' in class
- shortened attention span
- memory impairment
- poor decision making
- lack of enthusiasm
- moodiness and aggression
- depression
- risk-taking behaviour
- slower physical reflexes
- clumsiness, which may result in physical injuries

- reduced sporting performance
- reduced academic performance
- increased number of 'sick days' from school because of tiredness
- truancy.

## **Preventing sleep deprivation in teenagers – tips for parents**

Try not to argue with your teenager about bedtime. Instead, discuss the issue with them. Together, brainstorm ways to increase their nightly quota of sleep.

Suggestions include:

- Allow your child to sleep in on the weekends.
- Encourage an early night every Sunday. A late night on Sunday followed by an early Monday morning will make your child drowsy for the start of the school week.
- Decide together on appropriate time limits for any stimulating activity such as homework or screen time. Encourage restful activities during the evening, such as reading.
- Avoid early morning appointments, classes or training sessions for your child if possible.
- Help your teenager to better schedule their after-school commitments to free up time for rest and sleep.
- Assess your teenager's weekly schedule together and see if they are overcommitted. Help them to trim activities if they are.
- Encourage your teen to take an afternoon nap after school to help recharge their battery, if they have time.
- Work together to adjust your teenager's body clock. You may like to consult with your doctor first.

## **Top sleep tips for teenagers**

The typical teenage brain wants to go to bed late and sleep late the following morning, which is usually hard to manage. You may be able to adjust your body clock but it takes time. Suggestions include:

- Choose a relaxing bedtime routine; for example, have a bath and a hot milky drink before bed, or use meditation or mindfulness activities. Gentle yoga may also help.
- Avoid screens such as computers, TV or smart phones, loud music, homework or any other activity that gets your mind racing for at least an hour before bedtime.
- Avoid stimulants in the evening like coffee, tea, soft drinks and energy drinks.

- Keep your bedroom dark at night. Your brain's sleep–wake cycle is largely set by light received through the eyes. Try to avoid watching television or using smart phones right before bed. In the morning, expose your eyes to lots of light to help wake up your brain.
- Do the same bedtime routine every night for at least four weeks to make your brain associate this routine with going to sleep.
- Start your bedtime routine a little earlier than usual (for example, 10 minutes) after four weeks. Do this for one week.
- Add an extra 10 minutes every week until you have reached your desired bedtime.
- Get active during the day so you are more physically tired at night.
- Set up a comfortable sleep environment.
- Set up a regular wake-up time.
- Avoid staying up late on the weekends. Late nights will undo your hard work.
- Remember that even 30 minutes of extra sleep each night on a regular basis makes a big difference. However, it may take about six weeks of getting extra sleep before you feel the benefits.

## Teenage sleep deprivation – other issues to consider

If lack of sleep is still a problem despite your best efforts, suggestions include:

- Assess your sleep hygiene. For example, factors that may be interfering with your quality of sleep include a noisy bedroom, a lumpy mattress or the habit of lying awake and worrying.
- Consider learning a relaxation technique to help you wind down in readiness for sleep.
- Avoid having any food or drink that contains caffeine after dinnertime. This includes coffee, tea, cola drinks and chocolate.
- Avoid recreational drugs (including alcohol, tobacco and cannabis) as they can cause you to have broken and poor quality sleep.
- See your GP if self-help techniques don't increase your nightly sleep quota.

## Where to get help

- Your GP
- Sleep disorder clinic

---

## References

- **Sleep and mental wellbeing**  
(<https://www.vichealth.vic.gov.au/sleep>)  
, VicHealth, Victorian Government.
  - **Aussie teens forgo sleep for screens**  
(<https://www.vichealth.vic.gov.au/media-and-resources/media-releases/aussie-teens-forgo-sleep-for-screens>)  
, VicHealth, Victorian Government.
  - **Teenage sleep**  
(<https://www.sleephealthfoundation.org.au/sleep-topics/teenage-sleep>)  
, Sleep Health Foundation, NSW.
- 

This page has been produced in consultation with and approved by:



(<https://www.health.vic.gov.au/>)

Department  
of Health



(<https://www.betterhealth.vic.gov.au/>)

View all young people (13-19) →

(<http://www.betterhealth.vic.gov.au/healthyliving/young-people-13-19>)

## Content disclaimer

Content on this website is provided for information purposes only. Information about a therapy, service, product or treatment does not in any way endorse or support such therapy, service, product or treatment and is not intended to replace advice from your doctor or other registered health professional. The information and materials contained on this website are not intended to constitute a comprehensive guide concerning all aspects of the therapy, product or treatment described on the website. All users are urged to always seek advice from a registered health care professional for diagnosis and answers to their medical questions and to ascertain whether the particular therapy, service, product or treatment described on the website is suitable in their circumstances. The State of Victoria and the Department of Health shall not bear any liability for reliance by any user on the materials contained on this website.

---

Reviewed on: 11-05-2018



The Victorian Government acknowledges Aboriginal and Torres Strait Islander people as the Traditional Custodians of the land and acknowledges and pays respect to their Elders, past and present.

The Department of Health celebrates, values and includes people of all backgrounds, genders, sexualities, cultures, bodies and abilities.

**Privacy statement:** <https://www.betterhealth.vic.gov.au/about/privacy>

**Copyright notice:** <https://www.betterhealth.vic.gov.au/about/terms-of-use>

**Disclaimer notice:** <https://www.betterhealth.vic.gov.au/about/terms-of-use>



This web site is managed and authorised by the Department of Health, State Government of Victoria, Australia © Copyright State of Victoria 2024.